2024

INTERNATIONAL FORD RETRACTABLE CLUB

JUDGING FORM RESTORED / SHOWCASE

Year 1957 1958 1959 Class. RESTORED SHOV	WCASE CAR NUMBER
DWNER	VIN #
	(must agree with data plate on car)
Tabulation	
Total Points	1,000
Total Follits	1,000
Total Accessories Deduction from Page 3 (max of Total Operational Cycle and Condition from Page 5 (max ded Total Condition Deduction from Page 6 (max ded Total Condition Deduction from Page 7 (max ded Total Condition Deduction from Page 8 (max ded Total Condition Deduction from Page 8 (max ded Total Authenticity Deduction from Page 9 (max ded Total Authenticity Deduction from Page 11 (max Total Authenticity Deduction from Page 11 (max Total Authenticity Deduction from Page 12 (max Total Authenticity Deduction from Page 13 (max Miscellaneous not covered (Judging Committee Interfering with the Judges	e 4 (max deduct 130) duct 74)
Subtotal	
Subtotal	
Add Accessory Points from Page 2 (may add 1	12) +
Added Accessory Points from Page 2 (max add 1 Added Accessory Points from Page 3 (max add 1	
The ded Accessory Forms from Fage 5 (max add	12)
Total additions	
Total additions	
	TOTAL SCORE

IFRC 2024 JUDGING FORM RESTORED

ACCESSORIES AND SPECIAL ITEMS

Max Addition	ns 2	FENDER SKIRTS	Max Deduction 4
Total Add	Installed Imprope	r of Car2 Deduct_ rly1 Deduct_ ubber1 Deduct_	
rotal Add	* *	* * * *	
Max Addition	ns 2	OUTSIDE MIRRORS (Each) Max Deduction 4 2 Each
	Non-Ford	1 Deduct	
	Not for Year of C	ar1 Deduct	
Total Add			Total Deduct
Max Addition	rs 2	SPOTLIGHTS (Each)	Max Deduction 4 2 Each
Lacii	Handles-Indicato	1 Deduct_ r Lights (Incorrect)1 Deduct_ ar1 Deduct_	
Total Add	11011011101110111011	-	Total Deduct
	* *	* * * *	Die Name De Lauffers O
Max Addition	ns 2	TOWN AND COUNTRY RA	ADIO Max Deduction 3
Total Add	Wrong Knobs Wrong Face Plat	2 Deduct_ e1 Deduct_ * * * *	Total Deduct
Max Additio	ns 2	POWER SEATS / 4 WAY N	MANUAL Max Deduction 3
Total Add	Incorrect Knobs	r Year2 Deduct_ / Controls1 Deduct_	
A		* * * * *	Max Deduction 3
Max Additio	Non-Ford for Ca	POWER WINDOWS r Year2 Deduct_ / Controls1 Deduct_	Total Deduct
	* *	* * * * *	
TOTAL ADI	DITIONS		TOTAL DEDUCTIONS

ACCESSORIES AND SPECIAL ITEMS

Max Addition	s 2		ROCKER	MOLDIN	IGS		Max Deduction 4
v			of Carly				
Total Add	*	*	* *	*	*	Total	Deduct
Max Addition	Pans Inc Ring Inc Face Pla Trim Inc	orrect ite Incorre orrect	contine ect	1 	Deduct_ Deduct Deduct Deduct		Max Deduction 6
Total Add		ear or Ca	· ·	*	*		Deduct
Max Additior 1 Each		*	EXHAUS				Max Deduction 4 2 Each
Total Add	Wrong fo	d	Car	2 1	Deduct_ Deduct_	71116	l Deduct
Max Addition	ns 2	*	AIR CON	DITIONI	NG		Max Deduction 4
Total Add	Wrong F	(nobs ace Plate	* *	2 2	Deduct_ Deduct_ *		l Deduct
Max Addition	ns 1		POWER	STEERI	NG		Max Deduction 2
Total Add	Reservo	ir Incorre	ct*	1	Deduct_		l Deduct
Max Addition		lat fan Cai	POWER Year				Max Deduction 2
Total Add		lot for Cal	rear		_Deduct_		l Deduct
Max Addition	ns 1 Reservo	oir Incorre	* * WINDSH ct	IELD W/	ASHER Deduct_		Max Deduction 2
Total Add			* *		Deduct_	Tota	l Deduct
TOTAL ADD	DITIONS					TOTAL DE	DUCTIONS

IERC 2024 JUDGING FORM RESTORED

PAGE 4

NOTICE Verify the VIN number on the 1 st page of	START & IDLE	MAXIMUM POINTS: 130	
NOTE: A car can not be a best of show if roof r	OPERATIONAL CYC etract/erect cycle loses	LE more than ½ of points. Two attempts a	llowed.
DEDU			DUCT
Engine Smoke / Noise		Deck Open	-15
Front Parking Lights	-1	Roof Retract	15
Brake Lights	-1	Tray Cycle	15
License Plate Lights	-1	ROOF Erect	15
Head Lights (High/ Lo Beams)	-2	Deck Close	15
Turn Signal Lights	-2	Courtesy Lights	1
Tail Lights	-1	Horn	1
Backup Lights (If equipped)	-1	Power Windows	-4
Heater Fan	-1	Air Conditioner (If equipped)	-1
Windshield Washers (If equipped)	-1	Clock (If equipped)	1
Wipers	-1	Radio (If equipped)	1
Power Seats	-2	Signal Seek (If equipped)	1
Spotlight Indicators	-1	Spotlight Left	1
Emergency brake (check going forward)	-2	Spotlight Right	1
Start in N or N/P only	-2		
	AUTHENTICITY TRU	NK -	
Metal floor under spare tire cover (black only)	-2	Tire cover hinge & plywood cover (gray	r) -2
Spare tire (must be 8:00x14, 2" to 2 5/8" Whitewall) must have same tire and tread As on the ground	-2	Spare Tire Holder [still needed even w continental kit] (missing, black retainer natural bolt and handle)	,
	CONDITION TRUN	K	
Spare Tire and Wheel (cleanliness, rusty, poor paint worn, missing, other)	-2	Spare Tire Holder (cleanliness, rusty, poor paint, other)	2
Spare Tire Well (cleanliness, rusty, damaged, Poor paint, etc.)	-6	Items Left in Trunk	-2
TOTAL _		TOTAL	

TOTAL DEDUCTIONS

CONDITION ENGINE

Maximum Points 74

DEDUCT

Engine Block and Attaching Parts(not electrical or fuel) including valve covers / air cleaner / power steering (if equipment)	20 iipped)
Firewall and Attaching parts / Inner Fenders / Under Front Fenders (from under I	anad)
(cleanliness, paint- rough, rusty, over spray, other)	
Leaks as viewed or seen from above(fuel, water, oil,)	-4
Radiator / Hoses / Fan / Belts (cleanliness, scored core, dented tank, frayed belts, cracked belts, poor paint)	-10
ectrical system – Gen., Reg., Starter, Relay, Cables, Battery, Seanliness, poor paint, frayed wiring, dirty wiring)	-10
Fuel and Vacuum Systems – Carb., Fuel pump, Fuel lines, Vacuum lines (cleanliness, rusty, poor paint, other)	-10
Accelerator and Hood Linkage / Underside of Hood(cleanliness, rusty, poor paint, other)	-10
TOTAL DEDUCTIONS	•

CONDITION EXTERIOR

Maximum Points 136

Workmanship and detail (body waves, roughness, fit, paint & finish, SPECIFY). Deduct points on a percentage basis.

	DEDUCT
Left Front Fender	8
Left Door	8
Left Quarter Panel (including gas filler compartment and gas cap)	8
Deck lid / Rear Panel	12
Right Door	8
Right Front Fender	
Right Quarter Panel	8
Nose Section / Hood	
Roof	
Chrome and Stainless	
Under Rocker Panels / Quarter Panels	8
Tires, Wheels, & Hubcaps (rust, dirt, dents, wear, other)	16
TOTAL DEDUCTIONS	*

IFRC 2024 JUDGING FORM RESTORED

CONDITION INTERIOR Maximum Points 132 **DEDUCT**

Door Panels, Kick Panels, Rear Side Panels(torn, wrinkled, poor fit, other)	10
leadliner (torn, frayed, poor fit, dirty, other)	8
Package Tray Vinyl	4
Moldings(dents, screws, scratches, poor fit, poor paint, other)	10
Under Seat Vinyl and Rear Window Deck Vinyl	4
Seats (torn, frayed, worn, wrinkled, poor fit, dirty, other)	10
Carpet (torn, faded, worn, wrinkled, poor fit, dirty, other)	8
Dash, Visors, & Rear View Mirror(torn, wrinkled, rusty, pitted, over spray, poor fit, dirty, other)	10
Instruments (cracked glass, faded, dirty, other)	8
Controls (broken knobs, missing knobs, dirty, other)	6
Pedals (worn, dirty, rubber missing, other)	4
Steering Wheel (pitted, cracked, poor paint, dirty, other)	8
Sill Plates (damaged, dirty, other)	4
Glass (cracks, bubbles, discolored, cleanliness, other)	16
Windlace and Anti-Rattlers	8
Window Rubber Seal (no cloth, cracked, missing, other)	8
Courtesy Lamps under dash & dome light (cracked, discolored, dirty)	4
Items Left in Car	2
TOTAL DEDUCTIONS	

PAGE 8

IFRC 2024 JUDGING FORM RESTORED

1

CONDITION TRUNK

Maximum Points 100

DEDUCT Cleanliness.....-20 (Jack, top mechanism, deck lid, components, etc.) Boards-10_____ (Warped, poor fit, finish, buttons missing, etc.) Mats-10 _____-10 (Wrinkled, poor fit, finish, excess glue, other) Lift Mechanism Components.....-20 ______ (Rusty, poor paint, over spray, broken tubes, frayed and color coded wiring) Paint.....-20 _____ (Rough, runs, over spray, other) Labels and Decals.....-8 _____-8 (Loose, not legible, other) Tub......-5____-5 (Dented, poor paint, over spray, mounted poorly, other) Assist Springs.....-4 ______4 (Argent or natural finish only,) (Cleanliness, rusty, over spray) Tar paper under deck lid (missing, torn, can be oversprayed, etc)-3

AUTHENTICITY ENGINE COMPARTMENT

Maximum Points 86
DEDUCT

Inner Fenders (not original, not black, rubbers between 2 fenders)	2
Hood Latch & Catch (not original, painted, should be cad appearing, other)	2
Wiper Motor (not original, natural, back plate, other)	2
Stoplight Switch (not original, not natural)	2
Master Cylinder (not original design, may be natural, or stainless steel coated,	
or cast iron paint)	-2
Fender Bolts (not original style, must be black oxide)	-3
Battery holder (not original, 57,58 wing nuts at rear, may have hex or wing nut a	
missing, not black)	2
Heater Hose Holder (not original, incorrect mounting, missing)	-2
Heater Assembly and Ducts (not original, black, other)	2
Heater Valve (manual valve w/o air, vacuum valve w/ air 59, valve hidden	
under dash 57 w/air)	2
Hoses (not molded or black)	4
Heater Hose Clamps and By-Pass (not original style, Hose painted on 57, other))-4
Radiator Hose Clamps (Tangential type only)	-2
Radiator (not original style, not black, '57 to be domed type with 5 groves in top	tank
"58-'59 to be flat type)	2
Overflow (not original, may be rubber connection on 59)	-2
Radiator Cap (not original style, natural color, oval head brass rivet)	2
Engine (incorrect for data plate, wrong color, other)	12
Manifolds (incorrect, painted, may be stainless steel coating)	-5
Air Cleaner (not original, wrong color)	-2
Air Cleaner Top Wing Nut (not original, other)	-1
Oil Breather Cap (not original, wrong color, other)	2
Valve Covers (not original, wrong color, painted bolts, other)	-3
Decals (not original, mounted wrong)	-4
Fuel Pump (incorrect for year, no sediment bowl)	-2
Carburetor (incorrect for data plate, wrong style, other)	-2
Generator and Starter (not original, black, other)	-2
Battery (not original, black, no screw in caps)	
Battery Cables (not original, not 90 degree terminals, not black)	
Coil and Resistor (not Ford, incorrect mounting, coil should be yellow top, all black ok)	-2
WIRING (not color coded, original, mounted incorrectly, OD green clips, other)	-2
Distributor and Cap (not original style or black)	-2
Horns and Relay (not original, mounted incorrectly, '57 may have long or short,	
59 w/ air top horn on right fender, except 292 engine)	-2
Fan (incorrect, 4 blade standard, 5 blade w/ air)	-2

TOTAL DEDUCTIONS.....

UNDERCARRIAGE

Maximum points 116

TOTAL DEDUCTIONS.....

AUTHENTICITY MAXIMUM POINTS 70 CONDITION MAXIMUM POINTS 46

	DEDUCT	DEDUCT
WHEEL COVERS (not original style, turbine are acceptable on 57 & 58, other)	-8	FRONT SUSPENSION, shocks, springs, brake backing plates, (cleanliness, poor paint, broken bushings or rubber
WHEELS (not solid, should be black, color of car acceptable)	-8	bumpers)10
TIRES (8:00 x 14, 2 to 2 5/8" whitewall only) -4 if radials, -4 if not 8:00x14, -4 if whitewall is wr	12	(rusty, over spray, broken hangers)
FRAME & SUSPENSION COMPONENTS (not black, missing, incorrect)	9 	REAR SUSPENSION, shocks, springs, brake backing plates, (cleanliness, poor paint, broken or missing rubber bumpers)88
TRANSMISSION LINES (not original, natural, improper routing)	**	ENGINE, TRANSMISSION, DIFFERENTAL, DRIVESHAFT, (cleanliness, dented pan, poor paint, rusty,
TRANSMISSION (not as data plate)	4	Over spray)66
MUFFLERS (not original style or size) $57 = 24 \times 4 \times 7 \frac{3}{4}$ " body, 33" overall length +/- 1" $58 = 19 \times 4 \times 9 \frac{3}{4}$ " body, 28" overall length +/- 1"		UNDERSIDE of FLOOR PANS / FRAME (cleanliness, poor paint, rusty, over spray, excess undercoat)10
69 = 22 x 4 x 9 ¾" body, 30" overall length +/- 1" (-2 points if right style but wrong) 4 points if glass pack or that style)		GAS TANK (cleanliness, rusty, finish should resemble original)4
EXHAUST (improper routing, wrong clamps, or hangers, other)	-10	Leaks as viewed/seen from below2
DIFFERENTIAL (black or red oxide primer on third member)	-2 -2	
SHOCKS (not original, not black, rear original nave spring around base)	-4	
PRING LEAVES (must be 6 leaves)	-4	
AUTHENTICITY TOTAL DEDUCTIONS	•	CONDITION TOTAL DEDUCTIONS

AUTHENTICITY EXTERIOR [not Accessories]

Maximum Points: 64

	DEDUCT
Paint (not as data plate)	8
Paint (not original for year of car)	8
Parking Lights (not original = script)	2
Chrome (missing, not original hood ornaments, wiper blades and arms, etc.)	10
Stainless (missing, not original moldings, (57 replacement gold insert))	-8
Antenna (not original, no deck antenna)	2
Glass (script, door glass, all tinted or all clear, windshield only may be tinted, solex ok rear window, deduct ½ point per script fault)	-12
Bumper Bolts and Rubber Stone Deflector(not original or other)	4
Tail Lights and Back -Up (not original = script, glo-brite, or other)	6
License Plate Lights (not original, '57 either LL56 or LL57, other)	2
Headlights (all bulbs need to be of same brand)	2
TOTAL DEDUCTIONS	400

IFRC 2024 JUDGING FORM RESTORED

PAGE 12

AUTHENTICITY TRUNK

Maximum Points 52

DEDUCT

Boards (acceptable replacement -1, Missing square boards by deck locks -1, '59 has screw/washer on right trunk board, not original style or other)	4
Buttons (57-gray or beige, 58- gray or black, 59-black, wrong color -1)	2
Mat (acceptable replacement -1, not original style, installed incorrectly, or other)	4
Jack (not original, mounted incorrectly,57 wing nut natural or black, jack hold down spring natural or black)	-3
Lug Wrench (not original style or mounted incorrectly)	-2
Jack flap (not sewed or other)	-2
Jack Instructions (missing, not on left fender wall, incorrect)	-2
Decals (missing, mounted incorrectly, storage label not mounted On center of floor in front of tub, total of 9 or 10 decals)	3
Tub (missing-6, incorrect or acceptable replacement –3)	6
Floor Bolt (not original, missing, or other)	2
Metal Bolt Cup and Nails (cup should be gray and use Small round head nails)	2
Top Lifting Screws (tubes missing, not original, no staples, no clamps, incorrect staples, incorrect clamps, should have 3-5 staples, or other)	5
Trunk/Deck Lid Area In General (Assist springs natural or argent, motors black, deck lock down screws natural, package tray motor natural or black, lift arms, linkage and roof guide tracks should be the color of car, guide tracks may be black, wiring harness and clamps should be black, bolts, washers, tar paper under deck lid may be black or body color as over sprayed from surrounding metal)	-15
TOTAL DEDUCTIONS	

AUTHENTICITY INTERIOR	Maximum Points 110	
	maximum r omico 110	DEDUCT
COLOR (not as data plate)		-6
SEAT VINYL (original or undetectable replacement –0).		_0
59, NO FOIL ON BOTTOM OF SEAT		-3
SEAT INSERTS (any replacement in correct design and reasonably cl	ose material 4 totally	1
wrong –10,'57 ABC new design-0, old ABC design used up to 2001–2)	ose material –4, totally	10
SEAT BELTS (not judged but must be Ford or generic, not GM or MOP	·····	10
DOOR PANELS (any extreme/vinyl insert, incorrect design ,ABC repla	coment (1)	1
SEAT WELT (not original –4, acceptable –2)	cement-0)	4
DOOR PANEL CHROME (not original, needs to have screw with was		4
'57 no screw, '58 screw in trim, '59 screw with washer)	sner on rear edge,	0
DOOR AND WINDOW HANDLES (not original, '57 can be either ra		2
coor and window handles should be pointed forward and at 2:00 o-clock o	alsed or flat. 57, 58, 59	
c-clock on RH side with windows up. Rear handles are ½" shorter than from	ont	0
ARM REST ('57 and '58 – not original, correct vinyl)	JIII	0
WIND LACE (not original style, must be all cotton)	***************************************	2
KICK PANELS (not original missing or wrong color 4 (57.9 (59.55.55)		2
KICK PANELS (not original, missing or wrong color-4, '57 & '58 no scre	ews 59 one screw left side only,	4
kick panel retainer should be color of kick panel or other)		4
PACKAGE TRAY VINYL (not original, all vinyl must match, color may	vary)	2
UNDER SEAT VINYL (not original style, must match bottom of door p	anel , color may vary)	2
REAR WINDOW DECK VINYL COVER BEHIND TOP OR RE	AR SEAT	_
(not original, all vinyl must match, color may vary)		2
HEADLINER (not perforated on '57 & '58 –2, totally wrong –4, no coat h	100k)	6
DOME LIGHT (not original, wrong screws)		2
REAR VIEW MIRROR (not original style, regular Argent, day/night Ch	ırome)	2
VISORS (padded with padded dash, cardboard visors with painted dash))	2
VISOR BRACKETS ('57 no brackets, '58/'59 incorrect)		2
DASH (speaker grill should have spacers with padded dash, Not original	style, sewed incorrectly)	
DACIL DAINT & OUDONAS	4	
DASH PAINT & CHROME (incorrect for interior or other, NOT gloss,	59 chrome to be frosted)	2
DASH COURTESY LAMP (incorrect, missing, wrong location, mounti	ing bracket color wrong)	
{'57/'58 bracket color of dash, argent or black, '59 black only}		2
STEERING WHEEL & HORN RING (Not original, power horn ring f	or power steering)	2
37 argent w/ write insert, 58 colonial white w/ black insert, 59 argent w/ clear ins	ert	
KNOBS & GAUGES & RADIO (not original style, hood release, lighte '57 black face w/ colonial white center, '58 colonial white face, '59 gray face	er, extras, CB, etc)	8
RIM SCREWS (not original, chrome, Phillips)		2
OP SWITCH (not original or missing)	• • • • • • • • • • • • • • • • • • • •	2
CARPET AND HEAL PAD (heel pad size no larger than 10" x 20" and	d ma amalla di ama 7, 442 A	2
mounted under carpet only, other than that –2, chrome ring around dimmer	no smaller than /x 14",Acceler	ator pedal
Carpet needs to be stitched and stitch bound on edges [not vinyl bound]	switch not acceptable –2 totally	wrong –o,
SILL PLATES (not original or Ford replacement)		0
SILL PLATE SCREWS (incorrect, must be Phillips)	••••••	-4
PEDALS (not original style or other)	••••••	1
	•••••	∠
TOTAL DEDUCTIONS	·····	