2025

INTERNATIONAL FORD RETRACTABLE CLUB

JUDGING FORM RESTORED / SHOWCASE

ear 1957 1958 1959 (Circle one)	Class. RESTORED SHOWCASE (Circle one)	CAR NUMBER
WNER	VIN #	
		(must agree with data plate on car)
Tabulation		4 000
lotal Points		
Total Accessories Dec	duction from Page 2 (max deduct 21).	
Total Accessories Dec	duction from Page 3 (max deduct 24)	
	le and Condition from Page 4 (max de	
	ction from Page 5 (max deduct 74)	
Total Condition Deduc	ction from Page 6 (max deduct 136)	
	ction from Page 7 (max deduct 132)	
	ction from Page 8 (max deduct 100)	
	uction from Page 9 (max deduct 86)	
otal Authenticity/Con	dition Deduction from Page 10 (max d	educt 116)
Total Authenticity Ded	uction from Page 11 (max deduct 64).	
Total Authorticity Ded	uction from Page 12 (max deduct 52).	
discellaneous not cov	uction from Page 13 (max deduct 110) ered (Judging Committee Decision)	
	dges	
riteriering with the out	agos	·····
Total Deductions		
~		
Subtotal		
Added Accessory Poir	nts from Page 2 (max add 12)	+
	nts from Page 3 (max add 12)	

ACCESSORIES AND SPECIAL ITEMS

Max Addition	ns 2	FENDER SKIRTS	Max Deduction 4
	Installed Improperl	of Car2 Deduct y1 Deduct bber1 Deduct	
Total Add	* *	* * * *	Total Deduct
Max Addition 1 Each		OUTSIDE MIRRORS (Each)	Max Deduction 4 2 Each
		1 Deduct 1 Deduct	
Total Add	* *	* * *	Total Deduct
Max Addition 1 Each	ns 2	SPOTLIGHTS (Each)	Max Deduction 4 2 Each
	Handles-Indicator I	1 Deduct Lights (Incorrect)1 Deduct 1 Deduct	
Total Add	* *	* * * *	Total Deduct
Max Addition	ns 2	TOWN AND COUNTRY RADIO	Max Deduction 3
		2 Deduct	
Total Add		* * *	Total Deduct
Max Addition	ns 2	POWER SEATS / 4 WAY MANU	JAL Max Deduction 3
		ear2 Deduct Controls1 Deduct	
Total Add		* * *	Total Deduct
Max Addition		POWER WINDOWS	Max Deduction 3
		ear2 Deduct Controls1 Deduct	
Total Add			Total Deduct
	* *	* * * *	
TOTAL ADD	ITIONS	TOTA	AL DEDUCTIONS

ACCESSORIES AND SPECIAL ITEMS

Max Addition	ns 2			RO	CKER	MOLDI	NGS			Max Deduction 4
							Deduct_ Deduct_			
Total Add		*	*	*	*	*	*		Total	Deduct
Max Addition	Pans I		ect				Deduct_			Max Deduction 6
	Face F	Plate	Incorre	ect		1	Deduct_ Deduct_ Deduct			
	Not for	Yea	r of Ca	ır		2	Deduct			
Total Add		*	*	* .	*	*	*		Total	Deduct
Max Addition 1 Each	ns 2			EXH	HAUST	DEFL	ECTORS	S (Each)	Max Deduction 4 2 Each
							Deduct			
Total Add	Non-F	ord				1	Deduct		Total	Deduct
Total / taa		*	*	*	*	*	*		Total	Doddot
Max Addition	ns 2			AIR	CONE	INOITIC	NG			Max Deduction 4
	Wrong	Knol	bs			2	2 Deduct			
							Deduct			
Total Add		*	*	*	*	*	*		Total	Deduct
Max Addition	ns 1			PO	NER S	TEERI	NG			Max Deduction 2
	41						Deduct			
Total Add		*	*	*	*	*	*		Total	Deduct
Max Addition	ns 1	N		*		RAKE				Max Deduction 2
Total Add		Not t	or Car	Year.		2	2 Deduct		Total	Deduct
Total Add									Total	DCddot
N //	1	*	*	*	*	*	*			May Daduction 2
Max Addition		voir Ir	ncorrec				ASHER Deduct			Max Deduction 2
T	Nozzle	s Inc	orrect.			1	Deduct_		T	
Total Add		*	*	*	*	*	*		rotal	Deduct
TOTAL ADD	OITIONS							TOTA	L DED	UCTIONS

IFRC 2025 JUDGING FORM RESTORED START & IDLE

TOTAL

PAGE 4

MAXIMUM POINTS: 130

NOTE: A car can not be a best of show if reef	OPERATIONAL	CYCLE	
NOTE: A car can not be a best of show if roof		ioses more than ½ of points. I wo atte	
Engine Smoke / Noise	UCT 4	Deck Open	DEDUCT 15
Front Parking Lights	1	Roof Retract	15
Brake Lights	1	Tray Cycle	15
icense Plate Lights	1	ROOF Erect	15
Head Lights (High/ Lo Beams)	-2	Deck Close	15
Turn Signal Lights	-2	Courtesy Lights	1
Tail Lights	-1	Horn	1
Backup Lights (If equipped)	-1	Power Windows	4
leater Fan	-1	Air Conditioner (If equipped)	1
Vindshield Washers (If equipped)	-1	Clock (If equipped)	1
Vipers	-1	Radio (If equipped)	1
Power Seats	-2	Signal Seek (If equipped)	1
Spotlight Indicators	-1	Spotlight Left	1
Emergency brake (check going forward)	-2	Spotlight Right	1
Start in N or N/P only	-2		
	AUTHENTICITY T	RUNK	
letal floor under spare tire cover (black only)	-2	Tire cover hinge & plywood cove	r (gray) -2
Spare tire (must be 8:00x14, 2" to 2 5/8" Whitewall) must have same tire and tread as on the ground	-2	Spare Tire Holder [still needed en continental kit] (missing, black renatural bolt and handle)	tainer,
	CONDITION TR	UNK	
Spare Tire and Wheel (cleanliness, rusty, coor paint worn, missing, other)	-2	Spare Tire Holder (cleanliness, rupoor paint, other)	
Spare Tire Well (cleanliness, rusty, damaged, Poor paint, etc.)	-6	Items Left in Trunk	-2

TOTAL DEDUCTIONS

TOTAL

CONDITION ENGINE

Maximum Points 74

DEDUCT

Engine Block and Attaching Parts(not electrical or fuel) including valve covers / air cleaner / power steering (if equicleanliness, dents, over spray, poor paint)	20 uipped)
Firewall and Attaching parts / Inner Fenders / Under Front Fenders (from under (cleanliness, paint- rough, rusty, over spray, other)	
Leaks as viewed or seen from above(fuel, water, oil,)	-4
Radiator / Hoses / Fan / Belts (cleanliness, scored core, dented tank, frayed belts, cracked belts, poor paint)	-10
Electrical system – Gen., Reg., Starter, Relay, Cables, Battery, (cleanliness, poor paint, frayed wiring, dirty wiring)	-10
Fuel and Vacuum Systems – Carb., Fuel pump, Fuel lines, Vacuum lines (cleanliness, rusty, poor paint, other)	-10
Accelerator and Hood Linkage / Underside of Hood(cleanliness, rusty, poor paint, other)	-10
TOTAL DEDUCTIONS	• •

CONDITION EXTERIOR

Maximum Points 136

Workmanship and detail (body waves, roughness, fit, paint & finish, SPECIFY). Deduct points on a percentage basis.	
	DEDUCT
Left Front Fender	8
Left Door	8
Left Quarter Panel (including gas filler compartment and gas cap)	8
Deck lid / Rear Panel	12
Right Door	8
Right Front Fender	8
Right Quarter Panel	8
Nose Section / Hood	12
Roof	8
Chrome and Stainless (pits, scratches, dents, poor fit, other)	32
Under Rocker Panels / Quarter Panels	8
Tires, Wheels, & Hubcaps (rust, dirt, dents, wear, other)	16
TOTAL DEDUCTIONS	

CONDITION INTERIOR

Maximum Points 132 DEDUCT

Door Panels, Kick Panels, Rear Side Panels(torn, wrinkled, poor fit, other)	10
Headliner (torn, frayed, poor fit, dirty, other)	8
Package Tray Vinyl	4
Moldings(dents, screws, scratches, poor fit, poor paint, other)	10
Under Seat Vinyl and Rear Window Deck Vinyl	4
Seats (torn, frayed, worn, wrinkled, poor fit, dirty, other)	10
Carpet (torn, faded, worn, wrinkled, poor fit, dirty, other)	8
Dash, Visors, & Rear View Mirror(torn, wrinkled, rusty, pitted, over spray, poor fit, dirty, other)	10
Instruments (cracked glass, faded, dirty, other)	8
Controls (broken knobs, missing knobs, dirty, other)	6
Pedals (worn, dirty, rubber missing, other)	4
Steering Wheel (pitted, cracked, poor paint, dirty, other)	8
Sill Plates (damaged, dirty, other)	4
Glass (cracks, bubbles, discolored, cleanliness, other)	16
Windlace and Anti-Rattlers	8
Window Rubber Seal (no cloth, cracked, missing, other)	8
Courtesy Lamps under dash & dome light (cracked, discolored, dirty)	4
Items Left in Car	2
TOTAL DEDUCTIONS	

CONDITION TRUNK

Maximum Points 100

		DEDUCT
Cleanliness	20	
(Jack, top mechanism, deck lid, components, etc.)		
Boards	10	
(Warped, poor fit, finish, buttons missing, etc,)		
Mats	10	
(Wrinkled, poor fit, finish, excess glue, other)		
Lift Mechanism Components	20	
(Rusty, poor paint, over spray, broken tubes, frayed and color coded wiring)		
Paint	20	
(Rough, runs, over spray, other)		
Labels and Decals	8	
(Loose, not legible, other)		
Tub	5	
(Dented, poor paint, over spray, mounted poorly, other)		
Assist Springs	4	
(Argent or natural finish only,) (Cleanliness, rusty, over spray)		
Tar paper under deck lid (missing, torn, can be oversprayed, etc)	3	
TOTAL DEDUCTIONS		

TOTAL DEDUCTIONS...

AUTHENTICITY ENGINE COMPARTMENT

Maximum Points 86
DEDUCT

Inner Fenders (not original, not black, rubbers between 2 fenders)	2
Hood Latch & Catch (not original, painted, should be cad appearing, other)	
Wiper Motor (not original, natural, back plate, other)	
Stoplight Switch (not original, not natural)	-2
Master Cylinder (not original design, may be natural, or stainless steel coated,	
or cast iron paint)	
Fender Bolts (not original style, must be black oxide)	
Battery holder (not original, 57,58 wing nuts at rear, may have hex or wing nut a	
missing, not black)	-2
Heater Hose Holder (not original, incorrect mounting, missing)	
Heater Assembly and Ducts (not original, black, other)	2
Heater Valve (manual valve w/o air, vacuum valve w/ air 59, valve hidden	
under dash 57 w/air)	-2
Hoses (not molded or black)	
Heater Hose Clamps and By-Pass (not original style, Hose painted on 57, other)	
Radiator Hose Clamps (Tangential type only)	
Radiator (not original style, not black, '57 to be domed type with 5 groves in top	
"58-'59 to be flat type)	2
Overflow (not original, may be rubber connection on 59)	
Radiator Cap (not original style, natural color, oval head brass rivet)	
Engine (incorrect for data plate, wrong color, other)	
Manifolds (incorrect, painted, may be stainless steel coating)	
Air Cleaner (not original, wrong color)	
Air Cleaner Top Wing Nut (not original, other)	
Oil Breather Cap (not original, wrong color, other)	
Valve Covers (not original, wrong color, painted bolts, other)	
Decals (not original, mounted wrong)	
Fuel Pump (incorrect for year, no sediment bowl)	
Carburetor (incorrect for data plate, wrong style, other)	77.
Generator and Starter (not original, black, other)	
Battery (not original, black, no screw in caps)	
Battery Cables (not original, not 90 degree terminals, not black)	
Coil and Resistor (not Ford, incorrect mounting, coil should be yellow top, all black ok) WIRING (not color coded, original, mounted incorrectly, OD green clips, other)	
Distributor and Cap (not original style or black)	A STATE OF THE STA
Horns and Relay (not original, mounted incorrectly, '57 may have long or short,	
59 w/ air top horn on right fender, except 292 engine)	-2
Fan (incorrect, 4 blade standard, 5 blade w/ air)	

UNDERCARRIAGE

Maximum points 116

AUTHENTICITY MAXIMUM POINTS 70

CONDITION MAXIMUM POINTS 46

TOTAL DEDUCTIONS.....

MHEEL COVERS (not original atula	DEDUCT	DEDUCT
WHEEL COVERS (not original style, urbine are acceptable on 57 & 58, other)	-8	FRONT SUSPENSION, shocks, springs, brake backing plates, (cleanliness, poor paint, broken bushings or rubber
VHEELS (not solid, should be black,		bumpers)10
color of car acceptable)	8	_ EXHAUST666
IRES (8:00 x 14, 2 to 2 5/8" whitewall only) If radials, -4 if not 8:00x14, -4 if whitewall is wr	12	- (.a.e.), e.e. op.a.), a.e.(e.e.)
	ong	REAR SUSPENSION, shocks, springs, brake backing
RAME & SUSPENSION COMPONENTS not black, missing, incorrect)	8	plates, (cleanliness, poor paint, broken or missing rubber bumpers)8_
RANSMISSION LINES (not original, natural,		ENGINE, TRANSMISSION, DIFFERENTAL, DRIVESHAFT,
nproper routing)	2	_ (cleanliness, dented pan, poor paint, rusty, Over spray)6
RANSMISSION (not as data plate)	4	
**IUFFLERS (not original style or size) $37 = 24 \times 4 \times 7 \frac{3}{4}$ " body, 33" overall length +/- 1" $38 = 19 \times 4 \times 9 \frac{3}{4}$ " body, 28" overall length +/- 1"		UNDERSIDE of FLOOR PANS / FRAME (cleanliness, poor paint, rusty, over spray, excess undercoat)10
59 = 22 x 4 x 9 ¾" body, 30" overall length +/- 1" (-2 points if right style but wrong)	1	GAS TANK (cleanliness, rusty, finish should resemble original)4
points if glass pack or that style)	4	Leaks as viewed/seen from below2
XHAUST (improper routing, wrong clamps, r hangers, other)	-10	Leaks as viewea/seem norm belowz
IFFERENTIAL (black or red oxide primer n third member)	_2	
RIVESHAFT (not original, may be black)		
HOCKS (not original, not black, rear original		
ave spring around base)	-4 -2	
PRING LEAVES (must be 6 leaves)	-4	
UTHENTICITY TOTAL DEDUCTIONS		CONDITION TOTAL DEDUCTIONS

AUTHENTICITY EXTERIOR [not Accessories]

Maximum Points: 64

	DEDUCT
Paint (not as data plate)	8
Paint (not original for year of car)	8
Parking Lights (not original = script)	-2
Chrome (missing, not original hood ornaments, wiper blades and arms, etc.)	-10
Stainless (missing, not original moldings, (57 replacement gold insert))	-8
Antenna (not original, no deck antenna)	-2
Glass (script, door glass, all tinted or all clear, windshield only may be tinted, solex ok rear window, deduct ½ point per script fault)	12
Bumper Bolts and Rubber Stone Deflector(not original or other)	4
Tail Lights and Back -Up (not original = script, glo-brite, or other)	-6
License Plate Lights (not original, '57 either LL56 or LL57, other)	2
Headlights (all bulbs need to be of same brand)	-2
TOTAL DEDUCTIONS	

PAGE 12

AUTHENTICITY TRUNK

Maximum Points 52

DEDUCT

Boards (acceptable replacement -1, Missing square boards by deck locks -1,	4
'59 has screw/washer on right trunk board, not original style or other)	-
Buttons (57-gray or beige, 58- gray or black, 59-black, wrong color -1)	2
Mat (acceptable replacement -1, not original style, installed incorrectly, or other)	4
Jack (not original, mounted incorrectly,57 wing nut natural or black, jack hold down spring natural or black)	3
Lug Wrench (not original style or mounted incorrectly)	2
Jack flap (not sewed or other)	-2
Jack Instructions (missing, not on left fender wall, incorrect)	-2
Decals (missing, mounted incorrectly, storage label not mounted On center of floor in front of tub, total of 9 or 10 decals)	-3
Tub (missing-6, incorrect or acceptable replacement –3)	6
Floor Bolt (not original, missing, or other)	2
Metal Bolt Cup and Nails (cup should be gray and use Small round head nails)	2
Top Lifting Screws (tubes missing, not original, no staples, no clamps, incorrect staples, incorrect clamps, should have 3-5 staples, or other)	5
Trunk/Deck Lid Area In General (Assist springs natural or argent, motors black, deck lock down screws natural, package tray motor natural or black, lift arms, linkage and roof guide tracks should be the color of car, guide tracks may be black, wiring harness and clamps should be black, bolts, washers, tar paper under deck lid may be black or body color as over sprayed from surrounding metal)	-15
TOTAL DEDUCTIONS	

AUTHENTICITY INTERIOR Maximum Points 110 DEDUCT COLOR (not as data plate).....-6 SEAT VINYL (original or undetectable replacement –0)......-0 59, NO FOIL ON BOTTOM OF SEAT.....-1 SEAT INSERTS (any replacement in correct design and reasonably close material -4, totally wrong -10,'57 ABC new design-0, old ABC design used up to 2001-2).....-10_____-10,'57 ABC new design-0, old ABC design used up to 2001-2)..... DOOR PANELS (any extreme/vinyl insert, incorrect design ,ABC replacement-0)......-4_____-SEAT WELT (not original –4, acceptable –2)......-4 DOOR PANEL CHROME (not original, needs to have screw with washer on rear edge, DOOR AND WINDOW HANDLES (not original, '57 can be either raised or flat.'57,'58,'59 door and window handles should be pointed forward and at 2:00 o-clock on LH side and 10:00 o-clock on RH side with windows up. Rear handles are ½" shorter than front...............................-8 ARM REST ('57 and '58 – not original, correct vinyl)......-2 WIND LACE (not original style, must be all cotton).....-2 KICK PANELS (not original, missing or wrong color-4, '57 & '58 no screws '59 one screw left side only, kick panel retainer should be color of kick panel or other).....-4 PACKAGE TRAY VINYL (not original, all vinyl must match, color may vary)..................................2 UNDER SEAT VINYL (not original style, must match bottom of door panel, color may vary)-2 REAR WINDOW DECK VINYL COVER BEHIND TOP OR REAR SEAT (not original, all vinyl must match, color may vary)......2 HEADLINER (not perforated on '57 & '58 –2, totally wrong –4, no coat hook)......6 DOME LIGHT (not original, wrong screws).....-2 REAR VIEW MIRROR (not original style, regular Argent, day/night Chrome).......................-2 DASH (speaker grill should have spacers with padded dash, Not original style, sewed incorrectly)-4 DASH PAINT & CHROME (incorrect for interior or other, NOT gloss, 59 chrome to be frosted).....-2 DASH COURTESY LAMP (incorrect, missing, wrong location, mounting bracket color wrong) {'57/'58 bracket color of dash, argent or black, '59 black only}.....-2 STEERING WHEEL & HORN RING (Not original, power horn ring for power steering)-2 '57 argent w/ white insert, '58 colonial white w/ black insert, '59 argent w/ clear insert KNOBS & GAUGES & RADIO (not original style, hood release, lighter, extras, CB, etc).....-8 '57 black face w/ colonial white center, '58 colonial white face, '59 gray face TRIM SCREWS (not original, chrome, Phillips).....-2 TOP SWITCH (not original or missing).....-2 CARPET AND HEAL PAD (heel pad size no larger than 10" x 20" and no smaller than 7x 14", Accelerator pedal mounted under carpet only, other than that -2, chrome ring around dimmer switch not acceptable -2 totally wrong -8, SILL PLATES (not original or Ford replacement).....-4 SILL PLATE SCREWS (incorrect, must be Phillips).....-1 PEDALS (not original style or other).....-2 TOTAL DEDUCTIONS......